






典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers.
Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:14.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 3.7V	DC 6V	DC 9V
额定电流 Rated Current	≤400mA	≤350mA	≤200mA	≤110mA
功率 Power	1.0 W	1.0 W	1.0 W	1.0 W
气嘴口径 Air Tap O.D.	Ø3.1mm			
最大压力 Maximum Pressure	≥50KPa (375mmHg)			
流量 Air Flow	0.3-1.0 LPM			
充气时间 Inflation Time	≤8S (From 0 to 300mmHg in a 100cc tank)			
噪音 Noise Level	≤60db (30cm away)			
寿命测试 Life Test	≥ 30,000 Times (ON 10秒, OFF 5秒)			
气密性 Leakage	≤3.0mmHg/min (from 300mmHg in a 100cc tank)			
重量 Weight	14g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers. Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V
额定电流 Rated Current	≤600mA	≤300mA	≤200mA	≤150mA
功率 Power	1.8 W	1.8 W	1.8 W	1.8 W
气嘴口径 Air Tap O.D.	Ø3.0mm			
空气流量 Air Flow (No Load)	0.5-2.0 LPM			
最大压力 Maximum Pressure	≥80KPa(600mmHg)			
噪音 Noise Level	≤65db (30cm away)			
寿命测试 Life Test	≥ 200 hours (连续)			
重量 Weight	33g			




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers.
Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:36.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V
额定电流 Rated Current	≤800mA	≤400mA	≤260mA	≤200mA
功率 Power	2.4 W	2.4 W	2.4 W	2.4 W
气嘴口径 Air Tap O.D.	Ø4.3mm			
最大压力 Maximum Pressure	≥60KPa(450mmHg)			
流量 Air Flow	0.5-3.0 LPM			
充气时间 Inflation Time	<10s (From 0 to 300mmHg in a 500cc tank)			
噪音 Noise Level	≤60db (30cm away)			
寿命测试 Life Test	≥ 50,000 Times (ON 10秒, OFF 5秒)			
气密性 Leakage	<3.0mmHg/min (from 300mmHg in a 500cc tank)			
重量 Weight	36g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers. Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:36.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V
额定电流 Rated Current	$\leq 800\text{mA}$	$\leq 400\text{mA}$	$\leq 260\text{mA}$	$\leq 200\text{mA}$
功率 Power	2.4 W	2.4 W	2.4 W	2.4 W
气嘴口径 Air Tap O.D.	$\varnothing 4.3\text{mm}$			
最大压力 Maximum Pressure	$\geq 60\text{KPa}(450\text{mmHg})$			
流量 Air Flow	0.5-3.0 LPM			
充气时间 Inflation Time	$< 10\text{s}$ (From 0 to 300mmHg in a 500cc tank)			
噪音 Noise Level	$\leq 60\text{db}$ (30cm away)			
寿命测试 Life Test	$\geq 50,000$ Times (ON 10秒, OFF 5秒)			
气密性 Leakage	$< 3.0\text{mmHg/min}$ (from 300mmHg in a 500cc tank)			
重量 Weight	36g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYP310-XB (出气嘴倒勾)

气泵
AIR PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers, Adult products, Massagers, Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:36.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V
额定电流 Rated Current	$\leq 800\text{mA}$	$\leq 400\text{mA}$	$\leq 260\text{mA}$	$\leq 200\text{mA}$
功率 Power	2.4 W	2.4 W	2.4 W	2.4 W
气嘴口径 Air Tap O.D.	$\phi 4.8\text{mm}$			
最大压力 Maximum Pressure	$\geq 400\text{mmHg}$			
流量 Air Flow	0.5-3.0 LPM			
充气时间 Inflation Time	<10s (From 0 to 300mmHg in a 500cc tank)			
噪音 Noise Level	$\leq 60\text{db}$ (30cm away)			
寿命测试 Life Test	$\geq 30,000$ Times (ON 10秒, OFF 5秒)			
气密性 Leakage	<3.0mmHg/min (from 300mmHg in a 500cc tank)			
重量 Weight	36g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers. Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:36.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V
额定电流 Rated Current	≤800mA	≤400mA	≤260mA	≤200mA
功率 Power	2.4 W	2.4 W	2.4 W	2.4 W
气嘴口径 Air Tap O.D.	Ø4.3mm			
最大压力 Maximum Pressure	≥60KPa(450mmHg)			
流量 Air Flow	0.5-3.0 LPM			
充气时间 Inflation Time	<10s (From 0 to 300mmHg in a 500cc tank)			
噪音 Noise Level	≤60db (30cm away)			
寿命测试 Life Test	≥ 50,000 Times (ON 10秒, OFF 5秒)			
气密性 Leakage	<3.0mmHg/min (from 300mmHg in a 500cc tank)			
重量 Weight	36g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers. Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:36.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V
额定电流 Rated Current	$\leq 800\text{mA}$	$\leq 400\text{mA}$	$\leq 260\text{mA}$	$\leq 200\text{mA}$
功率 Power	2.4 W	2.4 W	2.4 W	2.4 W
气嘴口径 Air Tap O.D.	$\phi 4.3\text{mm}$			
最大压力 Maximum Pressure	$\geq 60\text{KPa}(450\text{mmHg})$			
流量 Air Flow	0.5-3.0 LPM			
充气时间 Inflation Time	<10s (From 0 to 300mmHg in a 500cc tank)			
噪音 Noise Level	$\leq 60\text{db}$ (30cm away)			
寿命测试 Life Test	$\geq 50,000$ Times (ON 10秒, OFF 5秒)			
气密性 Leakage	<3.0mmHg/min (from 300mmHg in a 500cc tank)			
重量 Weight	36g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers. Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:36.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V
额定电流 Rated Current	≤800mA	≤400mA	≤260mA	≤200mA
功率 Power	2.4 W	2.4 W	2.4 W	2.4 W
气嘴口径 Air Tap O.D.	Ø4.8mm			
最大压力 Maximum Pressure	≥400mmHg			
流量 Air Flow	0.5-3.0 LPM			
充气时间 Inflation Time	<10s (From 0 to 300mmHg in a 500cc tank)			
噪音 Noise Level	≤60db (30cm away)			
寿命测试 Life Test	≥ 30,000 Times (ON 10秒, OFF 5秒)			
气密性 Leakage	<3.0mmHg/min (from 300mmHg in a 500cc tank)			
重量 Weight	36g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYP370-XC (大倒勾嘴气泵)

气泵
AIR PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers. Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:36.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流 Rated Current	$\leq 900\text{mA}$	$\leq 450\text{mA}$	$\leq 300\text{mA}$	$\leq 220\text{mA}$	$\leq 110\text{mA}$
功率 Power	2.4 W	2.4 W	2.4 W	2.4 W	2.4 W
气嘴口径 Air Tap O.D.	$\varnothing 5.6\text{mm}$				
最大压力 Maximum Pressure	$\geq 60\text{KPa}(450\text{mmHg})$				
流量 Air Flow	0.5-2.5 LPM				
充气时间 Inflation Time	<10s (From 0 to 300mmHg in a 500cc tank)				
噪音 Noise Level	$\leq 60\text{db}$ (30cm away)				
寿命测试 Life Test	$\geq 50,000$ Times (ON 10秒, OFF 5秒)				
气密性 Leakage	<3.0mmHg/min (from 300mmHg in a 500cc tank)				
重量 Weight	60g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers.
Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:36.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流	Rated Current	≤ 900mA	≤ 450mA	≤ 300mA	≤ 220mA	
功率	Power	2.4 W	2.4 W	2.4 W	2.4 W	2.4 W
气嘴口径	Air Tap O.D.	Ø4.8mm				
最大压力	Maximum Pressure	≥ 400mmHg				
流量	Air Flow	0.5-3.0 LPM				
充气时间	Inflation Time	<10s (From 0 to 300mmHg in a 500cc tank)				
噪音	Noise Level	≤ 60db (30cm away)				
寿命测试	Life Test	≥ 30,000 Times (ON 10秒, OFF 5秒)				
气密性	Leakage	<3.0mmHg/min (from 300mmHg in a 500cc tank)				
重量	Weight	36g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers. Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:64.3g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3.7V	DC 6V	DC 12V	DC 24V
额定电流 Rated Current	≤600mA	≤500mA	≤400mA	≤200mA
功率 Power	2.4 W	2.4 W	2.4 W	2.4 W
气嘴口径 Air Tap O.D.	Ø5.0mm			
真空流量 Vacuum Flow (No Load)	1.5-5.0 LPM			
最大压力 Maximum Pressure	≥60KPA(450mmHg)			
噪音 Noise Level	≤ 60db (30cm away)			
寿命测试 Life Test	≥30,000Times (ON 10秒, OFF 5秒)			
重量 Weight	64.3g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP370-XF-1 (A款气泵)

气泵
AIR PUMP




持挤抹管 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers.
Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:60.0g(APPROX)
UNIT:MILLIMETERS




产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流	Rated Current	≤900mA	≤450mA	≤300mA	≤220mA	≤110mA
功率	Power	2.4 W	2.4 W	2.4 W	2.4 W	2.4 W
气嘴口径	Air Tap O.D.	Ø4.1mm				
真空流量	Vacuum Flow (No Load)	1.0-6.5 LPM				
最大压力	Maximum Vacuum	≥60KPA(450mmHg)				
噪音	Noise Level	≤ 60db (30cm away)				
寿命测试	Life Test	≥50,000Times (ON 10秒, OFF 5秒)				
重量	Weight	60g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers.
Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:136.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 6V	DC 7.4V	DC 9V	DC 12V	DC 24V
额定电流 Rated Current	$\leq 950\text{mA}$	$\leq 700\text{mA}$	$\leq 600\text{mA}$	$\leq 450\text{mA}$	$\leq 250\text{mA}$
功率 Power	5.2 W	5.2 W	5.2 W	5.2 W	5.2 W
气嘴口径 Air Tap O.D.	$\phi 6.8\text{mm}$				
真空流量 Vacuum Flow (No Load)	6.0-15.0 LPM				
最大压力 Maximum Pressure	$\geq 75\text{KPA}(565\text{mmHg})$				
噪音 Noise Level	$\leq 60\text{db}$ (30cm away)				
寿命测试 Life Test	$\geq 100,000\text{Times}$ (ON 10秒, OFF 5秒)				
重量 Weight	136g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers. Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:68.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流	Rated Current	$\leq 1200\text{mA}$	$\leq 600\text{mA}$	$\leq 430\text{mA}$	$\leq 300\text{mA}$	$\leq 150\text{mA}$
功率	Power	3.6 W	3.6 W	3.6 W	3.6 W	3.6 W
气嘴口径	Air Tap O.D.	$\varnothing 4.5\text{mm}$				
真空流量	Vacuum Flow (No Load)	1.5-4.0 LPM				
最大压力	Maximum Pressure	$\geq 80\text{KPa}(600\text{mmHg})$				
噪音	Noise Level	$\leq 65\text{db}$ (30cm away)				
寿命测试	Life Test	≥ 500 hours (连续)				
重量	Weight	68g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYP528-XC (528C款香熏机气泵)

气泵
AIR PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers. Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:98.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3.7V	DC 4.5V	DC 6V	DC 12V	DC 24V
额定电流 Rated Current	≤1600mA	≤1300mA	≤1000mA	≤500mA	≤250mA
功率 Power	6.0W	6.0 W	6.0 W	6.0 W	
气嘴口径 Air Tap O.D.	Ø5.0mm				
真空流量 Vacuum Flow (No Load)	2.5-8.0 LPM				
最大压力 Maximum Vacuum	≥100 Kpa(750mmHg)				
噪音 Noise Level	≤65db (30cm away)				
寿命测试 Life Test	≥ 500 hours (连续)				
重量 Weight	98g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers. Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:87.3g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3.7V	DC 6V	DC 12V	
额定电流	Rated Current	$\leq 500\text{mA}$	$\leq 300\text{mA}$	$\leq 150\text{mA}$	
功率	Power	1.8 W	1.8 W	1.8 W	1.8 W
气嘴口径	Air Tap O.D.	$\varnothing 3.1\text{mm}$			
真空流量	Vacuum Flow (No Load)	0.3-1.5 LPM			
最大压力	Maximum Vacuum	$\geq 60\text{KPA}(450\text{mmHg})$			
噪音	Noise Level	$\leq 60\text{db}$ (30cm away)			
寿命测试	Life Test	$\geq 30,000\text{Times}$ (ON 10秒, OFF 5秒)			
重量	Weight	87.3g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYP3042-X (A款双头气泵)

气泵
AIR PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers. Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:133.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3.7V	DC 6V	DC 12V	DC 13.5V	DC 24V
额定电流 Rated Current	≤800mA	≤700mA	≤600mA	≤500mA	≤400mA
功率 Power	5.4 W	5.4 W	5.4 W	5.4 W	5.4 W
气嘴口径 Air Tap O.D.	Ø5.9mm				
真空流量 Vacuum Flow (No Load)	4.0-13.0 LPM				
最大压力 Maximum Pressure	≥80KPA(450mmHg)				
噪音 Noise Level	≤ 60db (30cm away)				
寿命测试 Life Test	≥30,000Times (ON 10秒, OFF 5秒)				
重量 Weight	133g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Sphygmomanometers. Adult products. Massagers. Essential oil machines, Booster technology
血压计.成人用品.按摩器.精油机.增压技术

外形尺寸

Dimension

WEIGHT:345.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 9V	DC 12V	DC 24V	
额定电流	Rated Current	≤2000mA	≤1300mA	≤1000mA	≤500mA	
功率	Power	12 W	12 W	12 W	12 W	12 W
气嘴口径	Air Tap O.D.	Ø6.5mm				
真空流量	Vacuum Flow (No Load)	20-30 LPM				
最大压力	Maximum Pressure	≥100KPA(750mmHg)				
噪音	Noise Level	≤ 60db（30cm away）				
寿命测试	Life Test	≥50,000Times（ON 10秒， OFF 5秒）				
重量	Weight	345g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。