

PYP385-XZ (真空活塞泵)

活塞泵

PISTON PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage
家用电器.医疗.美容.按摩.成人用品.
- Medical equipment, Vacuum packaging machine,
Booster technology Booster technology
医疗设备.真空包装机.增压技术.

外形尺寸

Dimension

WEIGHT:92.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 6V	DC 9V	DC 24V	DC 24V
额定电流 Rated Current	≤1000mA	≤660mA	≤500mA	≤250mA
功率 Power	6.0 W	6.0 W	6.0 W	6.0W
气嘴口径 Air Tap O.D.	Ø4.0mm			
真空流量 Vacuum Flow (No Load)	5.0-7.0 LPM			
最大真空度 Maximum Vacuum	≤-70 Kpa(-525mmHg)			
噪音 Noise Level	≤ 75db (30cm away)			
寿命测试 Life Test	≥ 500 hours (连续)			
重量 Weight	92g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYP395-XZ (真空活塞泵)

活塞泵
PISTON PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Medical equipment, Vacuum packaging machine, Booster technology
医疗设备.真空包装机.增压技术.

外形尺寸

Dimension

WEIGHT: 115.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 6V	DC 9V	DC 12V	DC 24V
额定电流	Rated Current	≤ 1000mA	≤ 660mA	≤ 500mA	≤ 250mA
功率	Power	6.0 W	6.0 W	6.0 W	6.0 W
气嘴口径	Air Tap O.D.	Ø4.0mm			
真空流量	Vacuum Flow (No Load)	≥ 5.5LPM			
最大真空度	Maximum Vacuum	≤ -70 Kpa(-525mmHg)			
噪音	Noise Level	≤ 75db (30cm away)			
寿命测试	Life Test	≥ 500 hours (连续)			
重量	Weight	115g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYP555-XZ (真空活塞泵)

活塞泵

PISTON PUMP






典型应用 Typical Applications

- Home appliances, medical, beauty, massage
家用电器.医疗.美容.按摩.成人用品.
- Medical equipment, Vacuum packaging machine,
Booster technology Booster technology
医疗设备.真空包装机.增压技术.

外形尺寸

Dimension

WEIGHT:300.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 9V	DC 12V	DC 24V
额定电流	Rated Current	≤ 1300mA	≤ 1000mA	≤ 500mA
功率	Power	12 W	12 W	12 W
气嘴口径	Air Tap O.D.	Ø6.0mm		
真空流量	Vacuum Flow (No Load)	8-12 LPM		
最大真空度	Maximum Vacuum	≤ -70 Kpa(-525mmHg)		
噪音	Noise Level	≤ 75db (30cm away)		
寿命测试	Life Test	≥ 500 hours (连续)		
重量	Weight	300g		

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.