

PYPM20-XA (M20水泵)

水泵

WATER PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Flower sprinklers, water dispensers, air conditioning drainage pumps, Medical equipment, Booster technology
花洒.饮水机.空调排水泵.医疗设备.增压技术

外形尺寸

Dimension

WEIGHT:6.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 6V
额定电流	Rated Current	≤250mA	≤200mA
功率	Power	0.75 W	1.2 W
气嘴口径	Air Tap O.D.	Ø3.0mm	
最大水压	Maximum Water Pressure	≥30PSI (200kpa)	
水流量	Water flow	90-300mLPM	
噪音	Noise Level	≤60db (30cm away)	
寿命测试	Life Test	≥100 hours (连续)	
扬程	Pump Head	≥2m	
吸程	Suction Head	≥2m	
重量	Weight	6g	

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.

PYSPM20-XA (M20款止漏水泵)

水泵
WATER PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Flower sprinklers, water dispensers, air conditioning drainage pumps, Medical equipment, Booster technology
花洒.饮水机.空调排水泵.医疗设备.增压技术

外形尺寸

Dimension

WEIGHT: 6.7g (APPROX)
UNIT: MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 6V
额定电流	Rated Current	≤ 300mA	≤ 150mA
功率	Power	0.9 W	0.9 W
气嘴口径	Air Tap O.D.	Ø3.0mm	
最大水压	Maximum Water Pressure	≥ 15 PSI	
水流量	Water flow	50-120 mLPM	
噪音	Noise Level	≤ 66db (30cm away)	
寿命测试	Life Test	≥ 100 hours (连续)	
扬程	Pump Head	≥ 0.2m	
吸程	Suction Head	≥ 0.2m	
重量	Weight	6.7g	

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYP030-XA (030水泵)

水泵

WATER PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Flower sprinklers, water dispensers, air conditioning drainage pumps, Medical equipment, Booster technology
花洒.饮水机.空调排水泵.医疗设备.增压技术

外形尺寸

Dimension

WEIGHT:16.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 5V	DC 6V
额定电流	Rated Current	≤650mA	≤600mA
功率	Power	3.2 W	3.6 W
气嘴口径	Air Tap O.D.	Ø3.5mm	
最大水压	Maximum Water Pressure	≥ 30 psi(200kpa)	
水流量	Water flow	0.1-0.4LPM	
漏水	Leakage	20PSI NO leakage	
噪音	Noise Level	≤55db (30cm away)	
寿命测试	Life Test	≥ 200 hours (连续)	
扬程	Pump Head	≥ 2m	
吸程	Suction Head	≥ 2m	
重量	Weight	16g	

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP130-XA (水泵)

水泵

WATER PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Portable oral irrigator
便携式冲牙器

外形尺寸

Dimension

WEIGHT:26.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications


额定电压	Rated Voltage	DC 3V	DC 3.7V	DC 6V
额定电流	Rated Current	≤750mA	≤600mA	≤370mA
功率	Power	2.2 W	2.2 W	2.2 W
气嘴口径	Air Tap O.D.	Ø3.5mm		
最大水压	Maximum Water Pressure	30-80PSI (200-550KPa)		
水流量	Water flow	0.2-0.6LPM		
噪音	Noise Level	≤65db (30cm away)		
寿命测试	Life Test	≥ 100 hours (连续)		
冲力	Momentum	8-13g/喷头		
扬程	Pump Head	≥ 1m		
吸程	Suction Head	≥ 1m		
重量	Weight	26g		

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.

PYSP130-XC (C款水泵)

水泵

WATER PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Oral irrigator
冲牙器

外形尺寸

Dimension

WEIGHT:26.0g(APPROX)
UNIT:MILLIMETERS



产品规格


Product Specifications

额定电压	Rated Voltage	DC 3.7V	DC 6V	DC 9V	DC 12V
额定电流	Rated Current	$\leq 550\text{mA}$	$\leq 350\text{mA}$	$\leq 250\text{mA}$	$\leq 170\text{mA}$
功率	Power	2.1 W	2.1 W	2.1 W	2.1W
气嘴口径	Air Tap O.D.	$\phi 3.5\text{mm}$			
最大水压	Maximum Water Pressure	10-80PSI (70-552KPa)			
水流量	Water flow	0.2-0.6 LPM			
噪音	Noise Level	$\leq 65\text{db}$ (30cm away)			
寿命测试	Life Test	≥ 100 hours (连续)			
冲力	Momentum	8-13g/喷头			
扬程	Pump Head	$\geq 1\text{m}$			
吸程	Suction Head	$\geq 1\text{m}$			
重量	Weight	26g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYRP280-XA (冲牙器柱塞泵)

水泵
WATER PUMP




典型应用 Typical Applications

- oral irrigator
冲牙器

外形尺寸

Dimension

WEIGHT:65.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3.7V	DC 5.0V
额定电流	Rated Current	≤ 2500mA	≤ 1800mA
功率	Power	9.25 W	9.25 W
气嘴口径	Air Tap O.D.	Ø6.8mm	
出水量	Water flow	200mLPM(带喷嘴)	
最大水压	Maximum Water Pressure	>120PSI (828KPa)	
喷水频率	Spray frequency	2000次/分钟	
噪音	Noise Level	≤ 75db (30cm away)	
寿命测试	Life Test	≥ 100 hours (连续)	
扬程	Pump Head	≥ 300cm	
吸程	Suction Head	≥ 30cm	
重量	Weight	65g	

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP280-XA (水泵)

水泵

WATER PUMP




典型应用 Typical Applications

- Home appliances
家用电器
- Tea set, drinking machine, bottled water
茶具.饮水机.桶装水.

外形尺寸

Dimension

WEIGHT:65.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3.7V	DC 6V	DC 12V	DC 24V
额定电流 Rated Current	≤1200mA	≤700mA	≤350mA	≤170mA
功率 Power	4.2 W	4.2 W	4.2 W	4.2 W
气嘴口径 Air Tap O.D.	Ø7.8mm			
最大水压 Maximum Water Pressure	≥15 PSI (100kpa)			
水流量 Water flow	1.5-2.0 LPM			
噪音 Noise Level	≤65db (30cm away)			
寿命测试 Life Test	≥100 hours (连续)			
扬程 Pump Head	≥1m			
吸程 Suction Head	≥1m			
重量 Weight	65g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP310-XA (A款水泵)

水泵
WATER PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Flower sprinklers, water dispensers, air conditioning drainage pumps, Medical equipment, Booster technology
花洒.饮水机.空调排水泵.医疗设备.增压技

外形尺寸

Dimension

WEIGHT:40.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V
额定电流 Rated Current	$\leq 1200\text{mA}$	$\leq 600\text{mA}$	$\leq 400\text{mA}$	$\leq 300\text{mA}$
功率 Power	3.6 W	3.6 W	3.6 W	3.6 W
气嘴口径 Air Tap O.D.	$\varnothing 4.8\text{mm}$			
最大水压 Maximum Water Pressure	10-70PSI (70-483KPa)			
水流量 Water flow	0.3-0.8 LPM			
噪音 Noise Level	$\leq 65\text{db}$ (30cm away)			
寿命测试 Life Test	≥ 200 hours (连续)			
扬程 Pump Head	$\geq 2\text{m}$			
吸程 Suction Head	$\geq 2\text{m}$			
重量 Weight	40g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP310-XA (A款无刷水泵)

水泵

WATER PUMP



典型应用 Typical Applications


- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Flower sprinklers, water dispensers, air conditioning drainage pumps, Medical equipment, Booster technology
花洒.饮水机.空调排水泵.医疗设备.增压技

外形尺寸

Dimension

WEIGHT:40.0g(APPROX)

UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V
额定电流	Rated Current	≤1200mA	≤600mA	≤400mA	≤300mA
功率	Power	3.6 W	3.6 W	3.6 W	3.6 W
气嘴口径	Air Tap O.D.	Ø4.8mm			
最大水压	Maximum Water Pressure	10-70PSI (70-483KPa)			
水流量	Water flow	0.3-0.8 LPM			
噪音	Noise Level	≤65db (30cm away)			
寿命测试	Life Test	≥ 200 hours (连续)			
扬程	Pump Head	≥2m			
吸程	Suction Head	≥2m			
重量	Weight	40g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP310-XC (C款水泵)

水泵
WATER PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Flower sprinklers, water dispensers, air conditioning drainage pumps, Medical equipment, Booster technology
花洒.饮水机.空调排水泵.医疗设备.增压技术

外形尺寸

Dimension

WEIGHT:40.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V
额定电流 Rated Current	≤ 1200mA	≤ 600mA	≤ 400mA	≤ 300mA
功率 Power	3.6 W	3.6 W	3.6 W	3.6 W
气嘴口径 Air Tap O.D.	Ø6.5mm			
最大水压 Maximum Water Pressure	≥ 30PSI (200kpa)			
水流量 Water flow	0.3-1.2 LPM			
噪音 Noise Level	≤ 65db (30cm away)			
寿命测试 Life Test	≥ 200 hours (连续)			
扬程 Pump Head	≥ 2m			
吸程 Suction Head	≥ 2m			
重量 Weight	40g			

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP310-XAZ (A款止漏水泵)

水泵

WATER PUMP



典型应用 Typical Applications


- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Flower sprinklers, water dispensers, air conditioning drainage pumps, Medical equipment, Booster technology
花洒.饮水机.空调排水泵.医疗设备.增压技术

外形尺寸

Dimension

WEIGHT:60.0g(APPROX)

UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流	Rated Current	≤700mA	≤350mA	≤250mA	≤170mA	≤90mA
功率	Power	2.1 W	2.1 W	2.1 W	2.1W	2.1W
气嘴口径	Air Tap O.D.	Ø5.0mm				
最大水压	Maximum Water Pressure	30-70PSI (200-483KPa)				
水流量	Water flow	0.2-0.6LPM				
噪音	Noise Level	≤65db (30cm away)				
寿命测试	Life Test	≥ 200 hours (连续)				
扬程	Pump Head	≥2m				
吸程	Suction Head	≥2m				
重量	Weight	60g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP365-XA (水泵)

水泵
WATER PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Flower sprinklers, water dispensers, air conditioning drainage pumps, Medical equipment, Booster technology
花洒.饮水机.空调排水泵.医疗设备.增压技术

外形尺寸

Dimension

WEIGHT: 73.0g (APPROX)
UNIT: MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 6V	DC 12V	DC 24V
额定电流	Rated Current	≤ 1200mA	≤ 600mA	≤ 300mA
功率	Power	7.2 W	7.2 W	7.2 W
气嘴口径	Air Tap O.D.	Ø9.0mm		
最大水压	Maximum Water Pressure	≥ 5 psi (35kpa)		
水流量	Water flow	1.5-2.2 LPM		
噪音	Noise Level	≤ 65db (30cm away)		
寿命测试	Life Test	≥ 500 hours (连续)		
扬程	Pump Head	≥ 2m		
吸程	Suction Head	≥ 2m		
重量	Weight	73g		

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP365-XZ (365水泵)

水泵

WATER PUMP



典型应用 Typical Applications


- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Flower sprinklers, water dispensers, air conditioning drainage pumps, Medical equipment, Booster technology
花洒.饮水机.空调排水泵.医疗设备.增压技术

外形尺寸

Dimension

WEIGHT:85.0g(APPROX)

UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3.7V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流	Rated Current	$\leq 800\text{mA}$	$\leq 500\text{mA}$	$\leq 350\text{mA}$	$\leq 250\text{mA}$	$\leq 150\text{mA}$
功率	Power	2.88 W	2.88 W	2.88 W	2.88 W	2.88 W
气嘴口径	Air Tap O.D.	$\phi 7.5\text{mm}$				
最大水压	Maximum Water Pressure	$\geq 15\text{ PSI (100kpa)}$				
水流量	Water flow	1.2-2.4 LPM				
噪音	Noise Level	$\leq 60\text{db}$ (30cm away)				
寿命测试	Life Test	$\geq 200\text{ hours}$ (连续)				
扬程	Pump Head	$\geq 2\text{m}$				
吸程	Suction Head	$\geq 2\text{m}$				
重量	Weight	85g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP370-XA (A款无刷水泵)

水泵
WATER PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Portable oral irrigator, portable coffee machine
便携式冲牙器、便携式咖啡机

外形尺寸

Dimension

WEIGHT:60.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流	Rated Current	≤ 1200mA	≤ 600mA	≤ 400mA	≤ 300mA	≤ 150mA
功率	Power	3.6 W	3.6 W	3.6 W	3.6 W	3.6 W
气嘴口径	Air Tap O.D.	Ø4.8mm				
最大水压	Maximum Water Pressure	30-130PSI (200-900KPa)				
水流量	Water flow	0.3-0.8 LPM				
噪音	Noise Level	≤ 65db (30cm away)				
寿命测试	Life Test	≥ 500 hours (连续)				
扬程	Pump Head	≥ 5m				
吸程	Suction Head	≥ 5m				
重量	Weight	60g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP370-XA (A款水泵)

水泵
WATER PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Portable oral irrigator, portable coffee machine
便携式冲牙器、便携式咖啡机

外形尺寸

Dimension

WEIGHT:60.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流 Rated Current	≤1200mA	≤600mA	≤400mA	≤300mA	≤150mA
功率 Power	3.6 W	3.6 W	3.6 W	3.6 W	3.6 W
气嘴口径 Air Tap O.D.	Ø4.8mm				
最大水压 Maximum Water Pressure	30-130PSI (200-900KPa)				
水流量 Water flow	0.3-0.8 LPM				
噪音 Noise Level	≤65db (30cm away)				
寿命测试 Life Test	≥ 500 hours (连续)				
扬程 Pump Head	≥5m				
吸程 Suction Head	≥5m				
重量 Weight	60g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP370-XB (B款水泵)

水泵
WATER PUMP



典型应用 Typical Applications


- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Flower sprinklers, water dispensers, air conditioning drainage pumps, Medical equipment, Booster technology
花洒.饮水机.空调排水泵.医疗设备.增压技术

外形尺寸

Dimension

WEIGHT: 60.0g (APPROX)

UNIT: MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流	Rated Current	≤ 1200mA	≤ 600mA	≤ 400mA	≤ 300mA	≤ 150mA
功率	Power	3.6 W	3.6 W	3.6 W	3.6 W	3.6 W
气嘴口径	Air Tap O.D.	Ø8.0mm				
最大水压	Maximum Water Pressure	≥ 30 psi (200kpa)				
水流量	Water flow	0.3-1.2 LPM				
噪音	Noise Level	≤ 65db (30cm away)				
寿命测试	Life Test	≥ 500 hours (连续)				
扬程	Pump Head	≥ 5m				
吸程	Suction Head	≥ 5m				
重量	Weight	60g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP370-XC (C款水泵)

水泵

WATER PUMP



典型应用 Typical Applications


- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Flower sprinklers, water dispensers, air conditioning drainage pumps, Medical equipment, Booster technology
花洒.饮水机.空调排水泵.医疗设备.增压技

外形尺寸

Dimension

WEIGHT:60.0g(APPROX)

UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流 Rated Current	$\leq 1200\text{mA}$	$\leq 600\text{mA}$	$\leq 400\text{mA}$	$\leq 300\text{mA}$	$\leq 150\text{mA}$
功率 Power	3.6 W	3.6 W	3.6 W	3.6 W	3.6 W
气嘴口径 Air Tap O.D.	$\varnothing 6.5\text{mm}$				
最大水压 Maximum Water Pressure	$\geq 30\text{ psi (200kpa)}$				
水流量 Water flow	0.3-1.2 LPM				
噪音 Noise Level	$\leq 65\text{db (30cm away)}$				
寿命测试 Life Test	$\geq 500\text{ hours (连续)}$				
扬程 Pump Head	$\geq 5\text{m}$				
吸程 Suction Head	$\geq 5\text{m}$				
重量 Weight	60g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.

PYSP370-XE (E款水泵)

水泵
WATER PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Flower sprinklers, water dispensers, air conditioning drainage pumps, Medical equipment, Booster technology
花洒.饮水机.空调排水泵.医疗设备.增压技术

外形尺寸

Dimension

WEIGHT: 60.0g (APPROX)
UNIT: MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流 Rated Current	≤ 1200mA	≤ 600mA	≤ 400mA	≤ 300mA	≤ 150mA
功率 Power	3.6 W	3.6 W	3.6 W	3.6 W	3.6 W
气嘴口径 Air Tap O.D.	Ø6.5mm				
最大水压 Maximum Water Pressure	≥ 30PSI (200kpa)				
水流量 Water flow	0.3-1.2 LPM				
噪音 Noise Level	≤ 65db (30cm away)				
寿命测试 Life Test	≥ 500 hours (连续)				
扬程 Pump Head	≥ 5m				
吸程 Suction Head	≥ 5m				
重量 Weight	60g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP370-XF (F款水泵)

水泵

WATER PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Flower sprinklers, water dispensers, air conditioning drainage pumps, Medical equipment, Booster technology
花洒.饮水机.空调排水泵.医疗设备.增压技

外形尺寸

Dimension



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流	Rated Current	$\leq 1200\text{mA}$	$\leq 600\text{mA}$	$\leq 400\text{mA}$	$\leq 300\text{mA}$	$\leq 150\text{mA}$
功率	Power	3.6 W	3.6 W	3.6 W	3.6 W	3.6 W
气嘴口径	Air Tap O.D.	$\phi 6.5\text{mm}$				
最大水压	Maximum Water Pressure	30-100PSI (200-700KPa)				
水流量	Water flow	0.3-1.0 LPM				
噪音	Noise Level	$\leq 65\text{db}$ (30cm away)				
寿命测试	Life Test	≥ 500 hours (连续)				
扬程	Pump Head	$\geq 5\text{m}$				
吸程	Suction Head	$\geq 5\text{m}$				
重量	Weight	60g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.

PYSP370-XAZ (A款止漏水泵)

水泵
WATER PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Portable coffee machine
便携式咖啡机

外形尺寸

Dimension

WEIGHT:60.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流 Rated Current	≤ 1200mA	≤ 600mA	≤ 400mA	≤ 300mA	≤ 150mA
功率 Power	3.6 W	3.6 W	3.6 W	3.6 W	3.6 W
气嘴口径 Air Tap O.D.	Ø5.0mm				
最大水压 Maximum Water Pressure	30-130PSI (200KPa-900KPa)				
水流量 Water flow	0.3-0.7 LPM				
噪音 Noise Level	≤ 65db (30cm away)				
寿命测试 Life Test	≥ 500 hours (连续)				
扬程 Pump Head	≥ 5m				
吸程 Suction Head	≥ 5m				
重量 Weight	60g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。

PYSP370-XJZ (J款止漏水泵)

水泵
WATER PUMP




典型应用 Typical Applications

- Home appliances, medical, beauty, massage, adult products
家用电器.医疗.美容.按摩.成人用品.
- Flower sprinklers, water dispensers, air conditioning drainage pumps, Medical equipment, Booster technology
花洒.饮水机.空调排水泵.医疗设备.增压技术

外形尺寸

Dimension

WEIGHT:60.0g(APPROX)
UNIT:MILLIMETERS



产品规格

Product Specifications

额定电压 Rated Voltage	DC 3V	DC 6V	DC 9V	DC 12V	DC 24V
额定电流 Rated Current	≤ 1200mA	≤ 600mA	≤ 400mA	≤ 300mA	≤ 150mA
功率 Power	3.6 W	3.6 W	3.6 W	3.6 W	3.6 W
气嘴口径 Air Tap O.D.	Ø6.5mm				
最大水压 Maximum Water Pressure	≥ 30 PSI (200kpa)				
水流量 Water flow	0.5-1.2 LPM				
噪音 Noise Level	≤ 65db (30cm away)				
寿命测试 Life Test	≥ 500 hours (连续)				
扬程 Pump Head	≥ 5m				
吸程 Suction Head	≥ 2m				
重量 Weight	60g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计.

PYP3042-WP-2 (W款水泵)

水泵
WATER PUMP



典型应用 Typical Applications


- Household appliances. Portable coffee machine. Condensing fan spray
家用电器. 便携式咖啡机. 冷凝风扇喷雾
- Italian coffee machine
意式咖啡机

特点: 大水压

外形尺寸

Dimension

WEIGHT: 125.0g (APPROX)
UNIT: MILLIMETERS



产品规格

Product Specifications

额定电压	Rated Voltage	DC 3.7V	DC 6V	DC 9V	DC 12V	DC 12V
额定电流	Rated Current	≤ 973mA	≤ 600mA	≤ 400mA	≤ 300mA	≤ 150mA
功率	Power	3.6 W	3.6 W	3.6W	3.6W	3.6W
气嘴口径	Air Tap O.D.	Ø5.0mm				
水压力	Water pressure	220-290PSI (1500-2000KPa)				
抽液量	Water flow	200-500 mL/min/0Bar				
噪音	Noise Level	≤ 55db (30cm away)				
寿命测试	Life Test	≥ 100,000 Times (ON 20秒, OFF 40秒)				
扬程	Pump Head	3-5M				
吸程	Suction Head	1.5-3M				
重量	Weight	14g				

* Other parameters: according to customer demand for design/其他参数：根据客户的需求设计。